

**GpgFrontend::SingletonFunction
Object< T >**

- `_channel`
- `_default_channel`
- `_instance_mutex`
- `_instances_mutex`
- `_instance`
- `_instances_map`

- + `GetChannel()`
- + `SingletonFunctionObject()`
- + `SingletonFunctionObject()`
- + `operator=(())`
- + `GetInstance()`
- + `CreateInstance()`
- + `CreateInstance()`
- + `ReleaseChannel()`
- + `GetDefaultChannel()`
- # `SingletonFunctionObject()`
- # `SingletonFunctionObject()`
- # `~SingletonFunctionObject()`
- # `SetChannel()`
- `find_object_in_channel()`
- `set_object_in_channel()`

< GlobalSettingStation >

**GpgFrontend::SingletonFunction
Object< GlobalSettingStation >**

- `_channel`
- `_default_channel`
- `_instance_mutex`
- `_instances_mutex`
- `_instance`
- `_instances_map`

- + `GetChannel()`
- + `SingletonFunctionObject()`
- + `SingletonFunctionObject()`
- + `operator=(())`
- + `GetInstance()`
- + `CreateInstance()`
- + `CreateInstance()`
- + `ReleaseChannel()`
- + `GetDefaultChannel()`
- # `SingletonFunctionObject()`
- # `SingletonFunctionObject()`
- # `~SingletonFunctionObject()`
- # `SetChannel()`
- `find_object_in_channel()`
- `set_object_in_channel()`

▲

**GpgFrontend::GlobalSetting
Station**

- `app_path_`
- `app_data_path_`
- `app_log_path_`
- `app_data_objs_path_`
- `app_resource_path_`
- `app_locale_path_`
- `app_configure_path_`
- `ui_config_dir_path_`
- `ui_config_path_`
- `ui_cfg_`

- + `GlobalSettingStation()`
- + `~GlobalSettingStation()`
- + `GetUISettings()`
- + `GetAppDir()`
- + `GetAppDataPath()`
- + `GetLogDir()`
- + `GetStandaloneDatabaseDir()`
- + `GetAppConfigPath()`
- + `GetStandaloneGpgBinDir()`
- + `GetLocaleDir()`
- + `GetResourceDir()`
- + `GetCertsDir()`
- + `SyncSettings()`
- `init_app_secure_key()`