

**GpgFrontend::SingletonFunction  
Object< T >**

- channel\_
- \_default\_channel
- \_instance\_mutex
- \_instances\_mutex
- \_instance
- \_instances\_map

- + GetChannel()
- + SingletonFunctionObject()
- + SingletonFunctionObject()
- + operator=( )
- + GetInstance()
- + CreateInstance()
- + CreateInstance()
- + ReleaseChannel()
- + GetDefaultChannel()
- # SingletonFunctionObject()
- # SingletonFunctionObject()
- # ~SingletonFunctionObject()
- # SetChannel()
- find\_object\_in\_channel()
- set\_object\_in\_channel()

< GpgBasicOperator >

**GpgFrontend::SingletonFunction  
Object< GpgBasicOperator >**

- channel\_
- \_default\_channel
- \_instance\_mutex
- \_instances\_mutex
- \_instance
- \_instances\_map

- + GetChannel()
- + SingletonFunctionObject()
- + SingletonFunctionObject()
- + operator=( )
- + GetInstance()
- + CreateInstance()
- + CreateInstance()
- + ReleaseChannel()
- + GetDefaultChannel()
- # SingletonFunctionObject()
- # SingletonFunctionObject()
- # ~SingletonFunctionObject()
- # SetChannel()
- find\_object\_in\_channel()
- set\_object\_in\_channel()

▲

**GpgFrontend::GpgBasicOperator**

- ctx\_

- + GpgBasicOperator()
- + Encrypt()
- + EncryptSymmetric()
- + EncryptSign()
- + Decrypt()
- + DecryptVerify()
- + Verify()
- + Sign()
- + SetSigners()
- + GetSigners()