


GpgFrontend::ChannelObject
- channel_ - _default_channel
+ ChannelObject() + ChannelObject() + GetChannel() + SetChannel() + GetDefaultChannel()



GpgFrontend::SingletonFunction Object< T >
+ SingletonFunctionObject() + operator=() + GetChannel() + SingletonFunctionObject() + SingletonFunctionObject() + operator=() + GetInstance() + CreateInstance() + ReleaseChannel() + GetDefaultChannel() + GetAllChannelId() # SingletonFunctionObject() # SingletonFunctionObject() # ~SingletonFunctionObject()

< GpgContext >

GpgFrontend::SingletonFunction Object< GpgContext >
+ SingletonFunctionObject() + SingletonFunctionObject() + SingletonFunctionObject() + operator=() + operator=() + GetChannel() + GetInstance() + CreateInstance() + ReleaseChannel() + GetDefaultChannel() + GetAllChannelId() # SingletonFunctionObject() # SingletonFunctionObject() # ~SingletonFunctionObject()

GpgFrontend::GpgContext
- info_ - args_ - _ctx_ref - good_
+ GpgContext() + GpgContext() + ~GpgContext() + good() + GetInfo() + operator gpgme_ctx_t() + SetPassphraseCb() + test_passphrase_cb() + test_status_cb() - init_ctx()